



noraplan **environcare**

**nora**<sup>®</sup>  
by **Interface**<sup>®</sup>



## Versatility and performance in harmony

Begin with the universal benefits of lasting, high-performance rubber flooring. Add a range of accessories that creates complete flexibility and balance in every application. Round out your design with a tranquil selection of colors to compose a truly versatile and unique solution for your facility.

Explore the virtually limitless possibilities of every space with the universal appeal and high-quality performance of noraplan environcare™.

# Design without limits

Every space has its own unique needs. From acoustics to aesthetic design, load-bearing durability to electrostatic protection. The right combinations of these elements can bring powerful momentum and flexibility to any room in your facility. noraplan environcare delivers the versatility you demand with a color palette that inspires.



**PRODUCT** NORAPLAN ENVIRONCARE **COLORS** 7031 BASEBALL GAME, 7033 TAIL GATING & 7071 CORN MAZE **INSTALLED** DIRECTIONAL

© Garrett Rowland



**PRODUCT** NORAPLAN ENVIRONCARE **COLORS** 7036 CLAM BAKE & 7066 PARADE **INSTALLED** DIRECTIONAL


© Elmar Witt



# Where beauty and functionality meet

Create calm in every indoor space through the adaptable, multipurpose design of noraplan environcare. Available in 48 colors, it offers unlimited creative freedom.

Rubber sheet and tile flooring with a changing base color consisting of three harmoniously matched color components and characteristic granules and a smooth surface for use in heavy traffic areas.

<p><b>noraplan environcare 2 mm</b>  <b>Art. 1462</b>  48   15 m x 1.22 m (~49.21 ft x 48 in)  <b>Art. 2462</b>   610 mm x 610 mm (~24.015 in x 24.015 in)</p>	<p><b>noraplan environcare 3 mm</b>  <b>Art. 1463</b>  48   12 m x 1.22 m (~39.37 ft x 48 in)  <b>Art. 2463</b>   610 mm x 610 mm (~24.015 in x 24.015 in)</p>
<p><b>noraplan environcare nTx 2 mm</b>  <b>Art. 181C</b>  5   15 m x 1.22 m (~49.21 ft x 48 in)</p>	<p><b>noraplan environcare nTx 3 mm</b>  <b>Art. 187C</b>  7   12 m x 1.22 m (~39.37 ft x 48 in)</p>
 ~2 mm	 ~3 mm

Product Construction Class	Homogeneous Rubber Sheet & Tile
Sheet/ASTM F1859	Type I
Tile/ASTM F1344	Type I and Grade 1
Surface Type	Smooth
Indoor Air Quality	GREENGUARD Gold CDPH 01350 Compliant
LEED v4	Contributes to multiple IEQ and MR credits


 Contact your sales representative or visit [nora.com](http://nora.com) for QuickShip options.

 Sheet available as noraplan environcare™ nTx™. Contact your sales representative for details and lead times.

Multiple installation options, including high moisture solutions.

View details and the full product specification at [nora.com](http://nora.com).

## Installation Methods



Welding is not required unless specified. View weld recommendations at [nora.com](http://nora.com).



# Electrostatically Dissipative

Safeguard your electronic devices and equipment with noraplan environcare™ ed – high performance features combined with low maintenance benefits make it the ideal solution for clean rooms, R&D labs, electronic manufacturing plants and other sensitive applications.

- Keeps static generation consistently lower than 20V (ESD STM 97.2\*)
- No conductive wax necessary with reduced maintenance that requires little more than water
- Superior stain resistance to most oils and grease
- Supported by a ten year limited conductive warranty

\* Tested with conductive shoes

## noraplan environcare ed 2 mm ⚡

Art. 1390  14  
 15 m x 1.22 m (~49.21 ft x 48 in)

Art. 2390  
 610 mm x 610 mm (~24.015 in x 24.015 in)

 ~2 mm

## noraplan environcare ed 3 mm ⚡

Art. 1523  14  
 12 m x 1.22 m (~39.37 ft x 48 in)

 ~3 mm

Product Construction	Homogeneous Rubber Sheet & Tile
Class	
Sheet/ASTM F1859	Type I
Tile/ASTM F1344	Type I and Grade 1
Surface Type	Smooth
Indoor Air Quality	GREENGUARD Gold CDPH 01350 Compliant
LEED v4	Contributes to multiple IEQ and MR credits

Multiple installation options, including high moisture solutions.


Can be quickly and easily installed using nora dryfix™ ed.

View details and the full product specification at [nora.com](http://nora.com).

## Installation Methods




7031 BASEBALL GAME



7033 TAIL GATING



7035 SNOW SHOEING



7036 CLAM BAKE



7044 EGG HUNT



7045 ICE SKATING



7051 SNOWBALL FIGHT



7052 SLEDDING




7055 CHAMPAGNE TOAST



7056 ANTIQUING



7065 POOL PARTY



7066 PARADE



7067 YARD GAMES



7076 COUNTY FAIR

Welding is not required unless specified. View weld recommendations at [nora.com](http://nora.com).

# High Footfall Sound Absorption

For healing and learning environments that require a quiet atmosphere, noraplan environcare™ acoustic provides high footfall sound absorption with a footfall sound absorption improvement of  $\Delta L_w$  20 dB due to the flooring's unique rubber backing.

- Impact Insulation acc. to ASTM E2179 is  $\Delta IIC$  23
- Sound Absorption acc. to ISO 10140-3 is  $\Delta L_w$  20 dB
- Sound Transmission Class acc. to ASTM E492 (800 Hz) is STC  $\Delta TL$  54
- Monolithic seamless installation with coordinating weld creates a hygienic environment




7055 CHAMPAGNE TOAST



7056 ANTIQUING



7032 SLEIGH RIDE




7033 TAIL GATING




7051 SNOWBALL FIGHT



7052 SLEDDING



7035 SNOW SHOEING



7036 CLAM BAKE



7071 CORN MAZE



7072 LEAF PEEPING



7067 YARD GAMES



7065 POOL PARTY

**noraplan environcare acoustic** 

Art. 1420  12  
 12 m x 1.22 m (~39.37 ft x 48 in)



Product Construction	Homogeneous Rubber Sheet
Class/ASTM F1860	Type I, Grade 2
Surface Type	Smooth
Indoor Air Quality	GREENGUARD Gold CDPH 01350 Compliant
LEED v4	Contributes to multiple IEQ and MR credits

Multiple installation options, including high moisture solutions.

View details and the full product specification at [nora.com](http://nora.com).

## Installation Method



DIRECTIONAL

Welding required. View weld recommendations at [nora.com](http://nora.com).

## Why nora® rubber flooring?

### Product Benefits



#### Reduced Maintenance

Little more than water needed - no finishes, coatings or harsh chemicals necessary.



#### Quiet Acoustical Performance

Attenuate noise pollution.



#### Ergonomic Design

Add comfort underfoot, reducing foot and leg pain.



#### Durable Surface

Withstand extreme stress from heavy rolling loads and wheeled traffic.



#### Superior Slip Resistance

Help to create safer spaces.



#### Supports Infection Control

Disinfect thoroughly due to a dense, non-porous surface.

### Sustainability Verifications



#### Cradle to Cradle Certified® Silver

Certification of whether a product is safe, circular and responsibly made. Applies to nora 926 and 913 compound floor coverings and stair treads.



#### GREENGUARD Gold

All nora floor coverings & adhesives are certified for low VOC emissions.



#### Environmental Product Declaration (EPD)

A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified. Applies to nora 926 and 913 compound floor coverings and stair treads, and ESD and acoustic floor coverings.



#### Health Product Declaration (HPD)

A transparency tool for evaluating whether a product supports Green Chemistry. As part of our work on Health and Materials, Interface continuously reduces the environmental and health impacts of our products through elimination of materials of concern. Applies to nora 926 and 913 compound floor coverings and stair treads, and ESD floor coverings.

### Integrated System

nora and Interface cover every area of your building – all from a single source. Create harmonious, space-specific design with our system of soft and resilient floor coverings, including special floorings, stair treads and accessories.

### Outstanding Service

From design to post-installation, we have the experts to support your project at every step and can even be a valued resource for your organization's sustainability mission.

### nora.com

For additional information regarding usage in recommended applications, contact us or visit [nora.com](http://nora.com).

➤ **ORDER SAMPLES**  
Online at [www.nora.com](http://www.nora.com)  
Call 1.800.332.NORA  
Email your sales rep or customer support specialist

#### BROWSE NORA.COM

- Find the right floor for your project with nora Flooring Finder
- Design your floor with the nora Room Designer
- Find technical and environmental documents

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and limited warranty information, please see [nora.com](http://nora.com).

nora®, norament®, and noraplan® are trademarks owned by nora systems GmbH and registered in the United States, Canada, and other countries. Cradle to Cradle Certified® is a registered trademark of the Cradle to Cradle Products Innovation Institute. Other labels used here are trademarks of their respective owners.

PRODUCT NORAPLAN ENVIRONCARE COLOR 7060 GARDEN PARTY  
INSTALLED DIRECTIONAL

**nora systems, Inc.**  
9 Northeastern Blvd.  
Salem, NH 03079  
T: 800.332.NORA  
T: 603.894.1021  
info-us@nora.com  
www.nora.com